
Performance on the elective primary total hip arthroplasty and/or total knee arthroplasty readmission measure by hospital characteristics: safety-net status, teaching status, and urban or rural location.

The Centers for Medicare & Medicaid Services (CMS) periodically investigates select hospital characteristics that may impact a hospital's performance on the following readmission measure: hospital-level 30-day risk-standardized readmission rate (RSRR) following elective primary total hip arthroplasty (THA) and/or total knee arthroplasty (TKA) [1]. The THA/TKA readmission measure includes Medicare fee-for-service (FFS) beneficiaries aged 65 or older [2]. The THA/TKA readmission measure assesses unplanned readmissions for any reason within 30 days of discharge from a hospital stay for elective primary THA/TKA [2]. Patients can be readmitted to the same hospital or to a different hospital [2]. The THA/TKA readmission measure has been publicly reported on Hospital Compare since 2013 and has been included in the Hospital Readmissions Reduction Program (HRRP) since Fiscal Year 2015 [3].

FIGURE I *Distributions of hospital RSRRs (%) for THA/TKA by safety-net status, July 2011-June 2014.*



Variation in RSRRs reflects differences in performance among hospitals; lower RSRRs suggest better quality, and higher RSRRs suggest worse quality. To understand the impact of hospital safety-net status, teaching status, and urban or rural location, we examined RSRRs among hospitals with these characteristics with 25 or more qualifying discharges. Therefore, we evaluated the THA/TKA RSRRs for a total of 2,749 hospitals by comparing 535 safety-net hospitals against 2,214 non-safety-net hospitals, 934 teaching hospitals against 1,815 non-teaching hospitals, and 2,515 urban hospitals against 234 rural hospitals for the July 2011 – June 2014 reporting period.

Safety-net hospitals are defined as those committed to caring for populations without stable access to care, specifically public hospitals or private hospitals with a Medicaid caseload greater than one standard deviation above their respective state's mean private hospital Medicaid caseload [4]. Teaching Hospitals provide post-graduate education for physicians completing residency and fellowship [4].

Prepared for CMS by Yale New Haven Health Services Corporation (YNHHSC) Center for Outcomes Research and Evaluation (CORE) September 2015







To ensure accurate assessment of each hospital, the stroke readmission measure uses a statistical model to adjust for key differences in patient risk factors that are clinically relevant and that have a strong relationship with the readmission outcome [2].




FIGURE 2 Distributions of hospital RSRRs (%) for THA/TKA by teaching status, July 2011-June 2014.

TABLE I Distributions of hospital RSRRs (%) for THA/TKA overall, by safety-net status, teaching status, and urban or rural location, July 2011-June 2014.

тна	/ TKA	RSRR	(%)
IIIA	$/ I \mathbf{N} \mathbf{A}$	NJNN	(70)

	Overall; n=2749	Safety-net hospitals; n=535	Non-safety-net hospitals; n=2214	Teaching hospitals; n=934	Non-teaching hospitals; n=1815	Urban hospitals; n=2515	Rural hospitals; n=234
Maximum	8.5	7.6	8.5	8.5	7.3	8.5	6.5
90%	5.7	5.7	5.7	5.8	5.6	5.7	5.4
75%	5.2	5.2	5.2	5.3	5.2	5.2	5.0
Median (50%)	4.8	4.8	4.8	4.8	4.8	4.8	4.7
25%	4.5	4.5	4.5	4.4	4.5	4.5	4.5
10%	4.1	4.2	4.1	4.0	4.2	4.1	4.2
Minimum	3.1	3.4	3.1	3.2	3.1	3.1	3.6

Prepared for CMS by Yale New Haven Health Services Corporation (YNHHSC) Center for Outcomes Research and Evaluation (CORE) September 2015








The median THA/TKA RSRR for all hospitals was 4.8% (interquartile range [IQR]: 4.5%-5.2%; Table 1). The median THA/TKA RSRR for safety-net hospitals was 4.8% (IQR: 4.5%-5.2%; Figure 1 and Table 1). The median THA/TKA RSRR for teaching hospitals was 4.8% (IQR: 4.4%-5.3%) and for non-teaching hospitals was 4.8% (IQR: 4.5%-5.2%; Figure 2 and Table 1). The median THA/TKA RSRR for urban hospitals was 4.8% (IQR: 4.5%-5.2%) and for rural hospitals was 4.7% (IQR: 4.5%-5.0%; Figure 3 and Table 1).

FIGURE 3 Distributions of hospital RSRRs (%) for THA/TKA by urban or rural location, July 2011-June 2014.



Safety-net hospitals had a median THA/TKA RSRR that was equal to that of non-safety-net hospitals, teaching hospitals had a median THA/TKA RSRR that equal to that of non-teaching hospitals, and urban hospitals had a median COPD RSRR that was 0.1 percentage points higher than rural hospitals.

1. Medicare Hospital Quality Chartbook 2014: Performance Report on Outcome Measures. Prepared by Yale New Haven Health Services Corporation Center for Outcomes Research and Evaluation for the Centers for Medicare and Medicaid Services 2014; <u>http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HospitalQualityInits/Downloads/Medicare-Hospital-Quality-Chartbook-2014.pdf</u>. Accessed 16 June 2015.

2. Suter L; Desai N, Zhang W, et al. 2015 Procedure-Specific Readmission Measures Updates and Specifications Report: Elective Primary Total Hip Arthroplasty (THA) and/or Total Knee Arthroplasty (TKA) – Version 4.0, Isolated Coronary Artery Bypass Graft (CABG) Surgery – Version 2.0; <u>https://www.qualitynet.org/dcs/Content-Server?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1219069855841</u>. Accessed 26 June 2015.

3. "Hospital Inpatient Prospective Payment Systems for Acute Care Hospitals, Final Rule." Federal Register / 22 August 2014; <u>http://federalregister.gov/a/2014-18545</u>. Accessed 16 June 2015.

4. AHA Annual Survey Database Fiscal Year 2013; http://www.ahadataviewer.com/book-cd-products/aha-survey/. Accessed 26 June 2015.

Prepared for CMS by Yale New Haven Health Services Corporation (YNHHSC) Center for Outcomes Research and Evaluation (CORE) September 2015





