

► Performance on the hospital-wide readmission measure: **Hospitals with the highest proportions of vulnerable populations based on sociodemographic characteristics.**

The Centers for Medicare & Medicaid Services (CMS) periodically investigates select hospital practices that may impact a hospital's performance on the hospital-wide all-cause unplanned readmission measure for Medicare fee-for-service (FFS) beneficiaries aged 65 or older [1, 2]. The hospital-wide readmission measure assesses the occurrence of unplanned readmission for any cause within 30 days after discharge from hospitalization for patients admitted for any condition or procedure [2]. The hospital-wide readmission measure has been publicly reported on [Hospital Compare](#) since 2013 [3].

There has been much discussion about the potential impact of patient sociodemographic status (SDS) on hospital outcome measures, including measures of readmission [3, 4]. We examined hospital-wide RSRRs among hospitals identified as caring for a large proportion of vulnerable patients, as characterized by seven different SDS definitions, for hospitals with at least 25 eligible discharges. The hospitals included in this analysis are the 10% of hospitals with highest proportions of vulnerable patients as characterized by the different SDS definitions (Table 1). We compared the distribution of hospital-wide RSRRs among the hospitals identified by the various SDS definitions and also examined the number of hospitals identified as caring for high proportion of vulnerable populations by the various definitions. Variation in RSRRs reflects differences in performance among hospitals; lower RSRRs suggest better quality, and higher RSRRs suggest worse quality. To ensure accurate assessment of each hospital, the hospital-wide readmission measure uses a statistical model to adjust for key differences in patient risk factors that are clinically relevant and that have a strong relationship with the readmission outcome [2].

Among the subgroup of hospitals identified as serving vulnerable populations as characterized by the seven SDS definitions, only 48% of hospitals were identified by more than one definition of SDS.

Out of the 1,729 hospitals that met the criteria for serving a large proportion of vulnerable patients as characterized by at least one definition of SDS, less than half (829 hospitals; 48% of hospitals) met criteria characterized by multiple definitions of SDS. There were no hospitals that met criteria characterized by all seven definitions of SDS. However, five hospitals (< 1% of 4,593 total hospitals) met the criteria for six of the definitions, 39 hospitals (1% of total hospitals) were identified by five of the definitions, 126 hospitals (3% of total hospitals) were identified by four of the definitions, and 238 hospitals (5% of total hospitals) were identified by three of the definitions.

The median hospital-wide RSRR for all hospitals was 15.2% and median hospital-wide RSRRs for hospitals identified as serving high proportions of vulnerable populations were within 0.4 percentage points of the overall median. We observed overlapping ranges in performance for hospitals meeting criteria based on all seven SDS definitions (Figure 1). The interquartile range of hospital-wide RSRRs overall was 14.7% to 15.7% and for hospitals identified as serving high proportions of vulnerable populations the interquartile range was 14.9% to 16.3% (Table 2).


SOCIODEMOGRAPHIC STATUS

TABLE I Definitions and data sources for the following sociodemographic characteristics: living below the U.S. poverty line; an educational attainment below high school; unemployed; living in crowded households; African-American; receiving Medicaid; and residing in a zip-code with a low AHRQ Index of SES score.

Sociodemographic characteristics	Definition of vulnerable patients based on sociodemographic characteristics	Identification of hospitals with the highest proportion of vulnerable patients	Source
Below U.S. poverty line	Patients from zip codes where more than 29.7% of the residents are below the United States (U.S.) poverty line	Hospitals with more than 66.9% of Medicare FFS patients that meet the vulnerable patient definition	American Community Survey (ACS) 2008 – 2012 5 year estimate Medicare Part A Inpatient Claims 2012
Educational attainment below high school	Patients from zip codes where more than 18.6% of the residents aged ≥ 25 years have less than a 12th-grade education	Hospitals with more than 86.7% of Medicare FFS patients that meet the vulnerable patient definition	ACS 2008 – 2012 5 year estimate Medicare Part A Inpatient Claims 2012
Unemployed	Patients from zip codes where more than 11.5% of the residents aged 16 years or older in labor force who are unemployed and actively seeking work	Hospitals with more than 72.0% of Medicare FFS patients that meet the vulnerable patient definition	ACS 2008 – 2012 5 year estimate Medicare Part A Inpatient Claims 2012
Crowded households	Patients from zip codes where more than 3.2% of the residents live in households containing one or more person per room	Hospitals with more than 75.2% of Medicare FFS patients that meet the vulnerable patient definition	ACS 2008 – 2012 5 year estimate Medicare Part A Inpatient Claims 2012
African-American	African-American patients	Hospitals with more than 21.6% of Medicare FFS patients identified as African-American	Medicare Part A Inpatient Claims 2013
Medicaid	Patients that have Medicaid coverage	Hospitals with more than 28.6% of patients with Medicaid coverage	American Hospital Association (AHA) Survey 2013 [5]
AHRQ Index of SES scores	Patients from zip codes with an Agency for Healthcare Research & Quality (AHRQ) socioeconomic status (SES) index score below 31.8	Hospitals with more than 92.1% of Medicare FFS patients that meet the vulnerable patient definition	AHRQ SES index [6] ACS 2008 – 2012 5 year estimate Medicare Part A Inpatient Claims 2012

SOCIODEMOGRAPHIC STATUS

FIGURE I Distributions and medians of hospital-wide RSRRs (%) for hospitals with the highest proportion of patients with one of the following sociodemographic characteristics: living below the U.S. poverty line; an educational attainment below high school; unemployed; living in crowded households; African-American; receiving Medicaid; and residing in a zip-code with a low AHRQ Index of SES score, July 2013-June 2014.



Prepared for CMS by Yale New Haven Health Services Corporation (YNHHSC) Center for Outcomes Research and Evaluation (CORE) September 2015

TABLE 2 Distributions of hospital-wide RSRRs (%) for hospitals with the highest proportion of patients with one of the following sociodemographic characteristics: living below the U.S. poverty line; an educational attainment below high school; unemployed; living in crowded households; African-American; receiving Medicaid; and residing in a zip-code with a low AHRQ Index of SES score, July 2013-June 2014.

Hospital-wide RSRR (%) for hospitals with the highest proportions of patients:

	All hospitals; n=4,593	Below U.S. poverty line; n=455	Educational attainment below high school; n=456	Unemployed; n=455	In crowded households; n=455	African- American; n=459	Medicaid; n=449	Low AHRQ Index of SES score; n=456
Maximum	19.8	19.7	19.8	18.6	19.7	19.7	19.7	19.8
75%	15.7	15.8	15.8	15.8	15.8	16.3	16.1	15.8
Median (50%)	15.2	15.3	15.3	15.3	15.3	15.6	15.4	15.4
25%	14.7	14.9	15.0	14.9	14.9	15.1	14.9	15.0
Minimum	11.3	12.8	12.8	13.7	11.9	12.0	13.2	12.8

The median hospital-wide RSRR for all hospitals was 15.2% and median hospital-wide RSRRs for hospitals identified as serving high proportions of vulnerable populations were within 0.4 percentage points of the overall median. Similarly, the interquartile range of hospital-wide RSRRs overall was 14.7% to 15.7% and for hospitals identified as serving high proportions of vulnerable populations the interquartile range was 14.9% to 16.3%.

1. Medicare Hospital Quality Chartbook 2014: Performance Report on Outcome Measures. Prepared by Yale New Haven Health Services Corporation Center for Outcomes Research and Evaluation for the Centers for Medicare and Medicaid Services 2014; <http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HospitalQualityInits/Downloads/Medicare-Hospital-Quality-Chartbook-2014.pdf>. Accessed 16 June 2015.
2. Horwitz L, Grady J, Zhang W, et al. 2015 Measure Updates and Specifications Report: Hospital-Wide All-Cause Unplanned Readmission Measure – Version 4.0; <https://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=OnetPublic%2FPage%2FQonetTier4&cid=1219069855841>. Accessed 26 June 2015.
3. “Hospital Inpatient Prospective Payment Systems for Acute Care Hospitals, Final Rule.” Federal Register / 22 August 2014; <http://federalregister.gov/a/2014-18545>. Accessed 16 June 2015.
4. National Quality Forum. Risk Adjustment for Socioeconomic Status or Other Sociodemographic Factors, Technical Report, August 15, 2014; http://www.qualityforum.org/Publications/2014/08/Risk_Adjustment_for_Socioeconomic_Status_or_Other_Sociodemographic_Factors.aspx. Accessed 9 July 2015.
5. AHA Annual Survey Database Fiscal Year 2013; <http://www.ahadataviewer.com/book-cd-products/aha-survey/>. Accessed 26 June 2015.
6. U.S. Department of Health & Human Services, AHRQ Agency for Healthcare Research and Quality archive; Publication # 08-0029-EE, Chapter 3: Creation of New Race-Ethnicity Codes and SES Indicators for Medicare Beneficiaries - Chapter 3: Creating and Validating and Index of Socioeconomic Status; <http://archive.ahrq.gov/research/findings/final-reports/medicareindicators/medicareindicators3.html>. Accessed 30 June 2015.

Prepared for CMS by Yale New Haven Health Services Corporation (YNHHSC) Center for Outcomes Research and Evaluation (CORE) September 2015

